OMRON

₩V600-CH1D-PSI

RFIDシステム リードライトヘッド内蔵 ハンディコントローラ

取扱説明書

- このたびは、本製品をお買い上げいただきまして、まことにありがとう ございます。ご使用に際しては、次の内容をお守りください。
- ・電気の知識を有する専門家がお取り扱いください。
- ・この取扱説明書をよくお読みになり、十分にご理解のうえ、正しく ご使用ください。
- ・この取扱説明書はいつでも参照できるよう大切に保管してください。
- ・詳細につきましては、ユーザーズマニュアルをご参照ください。

オムロン株式会社

© OMRON Corporation 2006 All Rights Reserved.

安全上の要点

製品を安全に使用するため、以下のことを守ってください。

- (1) 引火性・爆発性・腐食性ガスの環境では使用しない でください。
- (2) 分解、修理、改造をしないでください。
- (3) 異臭がする、本体が非常に熱くなる、煙が出るなどの 異常が起こった場合、すぐに使用を中止し、電源を 切ってください。
- (4) 製品を廃棄する際は、産業廃棄物として処理してくだ
- (5)(社)日本自動認識システム協会のガイドラインに従い、 検出面を植え込み型心臓ペースメーカー等の装着部 位から 22cm 以内に近づけないでください。

使用上の注意

1. 設置について

次のような場所に設置してください。

- (1) 腐食性ガス、塵埃、金属粉、塩分がない場所
- (2) 使用温度が仕様で定められている範囲内の場所
- (3) 温度が急激に変化しない場所(結露しない場所)
- (4) 相対温度が使用で定められている範囲内の場所
- (5) 仕様で定められる以上の振動や衝撃が本体に直接 伝わらない場所
- (6) 水、油、化学薬品の飛沫がない場所

2. ご使用について

・本製品は530KHzの周波数帯を使用してデータキャリア と交信を行っています。モータ、インバータ、スイッチング電源 などの中にはデータキャリアとの交信に影響を与える電波 (ノイズ)を発生するものがあります。これらの機器が周囲に あることでデータキャリアとの交信に影響を与えたり、データ キャリアの破壊等の原因になる場合があります。

これらの機器の近くで本製品をご使用になる場合には事 前に影響を確認の上、ご使用いただくようにお願いいた します。

- ・一般的なノイズの影響を最小限とするため、以下の事項 を守ってご使用ください。
- (1) 周辺に配置された金属体はD種設置(第三種設置)
- (2) 配線は高圧、強電流との近接を避けてください。
- ・コネクタ部は防水構造ではありませんので、ミスト雰囲気 中を避けてください。
- ケーブルに無理な負荷をかけないでください。
- 3. 清掃について
- ・シンナー類は、樹脂部材やケース塗装を溶かしますので 使用しないでください。

■什様


●-船什样

仕様
DC5.0V±5%
-10 ~ +55°C
35 ~ 85%RH(結露なきこと)
-25 ~ +65°C
35 ~ 85%RH(結露なきこと)

●性能仕様

項目	仕様
通信 I/F 仕様	RS-232C
保護構造	IEC60529 規格 IP63(コネクタ部を除く)
質量	約 110g(ケーブル、コネクタ付き)
周波数	530kHz
放射磁界強度	最大-9dBµA/m(測定距離 10m)
消費電流	250mA 以下(電源電圧 5.0V)
材質	ABS 樹脂 (ケース)、PET 樹脂 (銘板)
耐振動耐久	10 ~ 150Hz 振幅幅 複振幅 0.2mm 加速度 15m/s² 上下左右前後の 6 方向 に 1 掃引 8 分間で 10 回掃引
耐衝擊耐久	150m/s²(約15G)の衝撃を上下左右 前後の6方向に各方向3回
絶縁抵抗	コネクタ端子一括とケース間 50MΩ以上(DC500V メガにて)
耐電圧	コネクタ端子一括とケース間 AC1000V 50/60Hz 1min 漏れ電流 1mA 以下
ケーブル長	0.8m

■各部の名称と機能



●検出面

データキャリアと交信するときは、検出面をデータキャリア に近づけてください。

●新佐丰二江

●動作表示灯				
LED表示	内容			
	上位機器からコマンドを受付けた場合			
(緑色点灯)	 データキャリアとの交信が正常に終了した場合 			
	電源投入時にハンディリーダライタの 初期化完了後			
(緑色点滅)	データキャリアとの交信中			
	データキャリアとの交信異常時			
(赤色点灯)	CPU異常時			
	データキャリア不在異常時			
(赤色点滅)	上位機器との通信異常時			
L				


●操作スイッチ

ボタン系コマンド(ボタンコマンド、ボタンオートコマンド)使用 時に、操作スイッチを押すとデータキャリアとの交信を開 始します。

●リセットボタン

電源立ち上げ時に2秒以上押し続けると、ハンディリーダ ライタが設定初期化待機状態になります。

■外形寸法



ご承諾事項

当社商品は、一般工業製品向けの汎用品として設計製造されています。従いまして、次に 掲げる用途での使用を意図しておらず、お客様が当社商品をこれらの用途に使用される際 には、当社は当社商品に対して一切保証をいたしません。ただし、次に掲げる用途であって も当社の意図した特別な商品用途の場合や特別の合意がある場合は除きます。

(a) 高い安全性が必要とされる用途(例:原子力制御設備、燃焼設備、航空・宇宙設備、鉄 道設備、昇降設備、娯楽設備、医用機器、安全装置、その他生命・身体に危険が及び

- (b) 高い信頼性が必要な用途(例:ガス・水道・電気等の供給システム、24時間連続運転 システム、決済システムほか権利・財産を取扱う用途など)
- (c) 厳しい条件または環境での用途(例:屋外に設置する設備、化学的汚染を被る設備。 電磁的妨害を被る設備、振動・衝撃を受ける設備など)
- (d) カタログ等に記載のない条件や環境での用途
- *(a)から(d)に記載されている他、本カタログ等記載の商品は自動車(二輪車含む。以下同 じ)向けではありません。自動車に搭載する用途には利用しないで下さい。自動車搭載 用商品については当社営業担当者にご相談ください。
- *上記は適合用途の条件の一部です。当社のベスト、総合カタログ、データシート等最新版 のカタログ、マニュアルに記載の保証・免責事項の内容をよく読んでご使用ください。

オムロン株式会社 インタストリアルオートメーションヒシネスカンパニー

●製品に関するお問い合わせ先

お客様相談室

川端 0120-919-066

携帯電話・PHS・IP電話などではご利用いただけませんので、下記の電話番号へおかけください。

電話 055-982-5015(通話料がかかります)

■営業時間:8:00~21:00 ■営業日:365日

●FAXやWebページでもお問い合わせいただけます。

FAX 055-982-5051 / www.fa.omron.co.ip

●その他のお問い合わせ

納期・価格・サンプル・仕様書は貴社のお取引先、または貴社 担当オムロン販売員にご相談ください。

オムロン制御機器販売店やオムロン販売拠点は、Webページで ご案内しています。

A(V) 2014年7月

OMRON

Model V600-CH1D-PSI

RFIDSystem
Handheld Reader Writer

INSTRUCTION SHEET

Thank you for selecting OMRON product. This sheet primarily describes precautions required in installing and operating the product.

Before operating the product, read the sheet thoroughly to acquire sufficient knowledge of the product. For your convenience, keep the sheet at your disposal.

TRACEABILITY INFORMATION: Importer in EU: Omron Europe B.V.

mporter in EU:
Omron Europe B.V.
Wegalaan 67-69
2132 JD Hoofddorp,
The Netherlands

Manufacturer: Omron Corporation, Shiokoji Horikawa, Shimogyo-ku, Kyoto 600-8530 JAPAN



© OMRON Corporation 2006 All Rights Reserved.

PRECAUTIONS FOR SAFE USE

Observe the following precautions to ensure safe use of the product.

- Do not use the product in environments with flammable, explosive, or corrosive gasses.
- 2. Do not attempt to disassemble, repair, or modify the product.
- 3. The USB driver must be installed in the personal computer before connecting the V600-CH1D-PSI to a personal computer.
- 4. Do not subject cables to excessive loads.
- Observe all warnings and precautions given in the body of this manual.
- Discontinue usage and turn OFF the power supply immediately if you notice any unusual odors, if the product is abnormally hot, or if the product starts smoking.
- 7. When disposing of the product, treat it as industrial waste.

PRECAUTIONS FOR CORRECT USE

Always observe the following precautions to prevent operation failures, malfunctions, and adverse effects on performance and equipment.

1. Installation Environment

Install the product in the following locations:

- Locations not subject to corrosive gas, dust, metallic powder, or salt.
- ·Locations within the specified operating temperature range.
- Locations not subject to rapid changes in temperature (with no condensation).
- ·Locations within the specified humidity range.
- ·Locations not subject to direct vibration or shock outside the specified ranges
- ·Locations not subject to water, oil, or chemicals.

2. Installation

- The product communicates with Data Carriers using the 530-kHz frequency band. Some motors, inverters, switching power supplies, and other devices generate noise that can affect communications with the Data Carriers. If such devices are located near the Data Carriers, communications with the Data Carriers may be adversely affected or the Data Carriers may be destroyed. Whenever using the product near devices of this nature, always test operation in advance to confirm if the system will be affected.
- Observe the following precautions to minimize the effects of normal noise.
- (1) Ground all metal objects in the vicinity to 100. or less.
- (2) Do not use the system near high-voltage or high-current lines.
- Connectors are not waterproof. Do not use the product where mists are present.
- Do not use chemicals that would affect the materials used in the product.
- 3. Cleaning
- Do not clean the product with thinners, benzene, or other organic solvents. These will dissolve the resin parts and coating on the case

Specifications


General Specifications

Item	Specification
Supply voltage	5.0VDC±5%
Ambient operating temperature	-10 to 55°C -10 to 45°C when in hand
Ambient operating humidity	35% to 85% (with no condensation)
Ambient storage temperature	-25 to 65℃
Ambient storage humidity	35% to 85% (with no condensation)

Performance Specifications

Item	Specification
Host interface	RS-232C
Degree of protection	IEC60529, IP63 (This does not include the connector section.)
Frequency	530kHz
Radiated magnetic field strength	maximum -9 dBμA/m at 10 meters
Weight	Approx. 110 g (with cables and connectors)
Current consumption	250 mA max. (supply voltage: 5.0 V)
Material	Case: ABS resin; Nameplate: PET resin
Vibration resistance	$10\ to\ 150\ Hz,\ 0.2\text{-mm}$ double amplitude at $15\ m/s^2$ acceleration in 6 directions $10\ times$ for 8 minutes each
Shock resistance	150 m/s² (approx. 15G), 3 times each in 6 directions (up, down, right, left, forward, reverse)
Insulation resistance	$50~\text{M}\Omega$ min. (at $500~\text{VDC}$) between connector terminals and case
Dielectric strength	1,000 VAC, 50/60 Hz for 1 min between connector terminals and case (leakage current: 1 mA max.)
Cable length	0.8 m

Names and Functions of Components



Antenna

To communicate with the Data Carrier, move the antenna head closer to it.

Operation Indicator (LED)

Display	Meaning
	A command has been received from the host device.
Lit green	Communications with the Data Carrier have completed normally.
	When the power is turned ON, after initialization of the Hand-held Reader Writer is completed.
Flashing green	Communications with the Data Carrier are in progress.
	A communications error with the Data Carrier has occurred.
Lit red	A CPU error has occurred.
	A Data Carrier non-existent error has occurred.
Flashing red	A communications error with the host device has occurred.

Activate Switch

When button commands (button commands, button auto commands) are used and the activate switch is pressed, communications with the Data Carrier will commence.

Reset button


If the reset button is held for 2 seconds or more during startup, the Hand-held Reader Writer will go into stand-by state to initialize the setting.

■ WEEE Directive (2012/19/EC)



Dispose in accordance with applicable regulations

Dimensions



Suitability for Use

Omron Companies shall not be responsible for conformity with any standards, codes or regulations which apply to the combination of the Product in the Buyer's application or use of the Product. At Buyer's request, Omron will provide applicable third party certification documents identifying ratings and limitations of use which apply to the Product. This information by itself is not sufficient for a complete determination of the suitability of the Product in combination with the end product, machine, system, or other application or use. Buyer shall be solely responsible for determining appropriateness of the particular Product with respect to Buyer's application, product or system. Buyer shall take application responsibility in all cases.

NEVER USE THE PRODUCT FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON PRODUCT(S) IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.

OMRON Corporation Industrial Automation Company Kyoto, JAPAN Contact: www.ia.omron.com

Regional Headquarters

OMRON EUROPE B.V.
Wegalaan 67-69, 2132 JD Hoofddorp
The Netherlands

Tel: (31)2356-81-300/Fax: (31)2356-81-388 OMRON ELECTRONICS LLC

2895 Greenspoint Parkway, Suite 200 Hoffman Estates, IL 60169 U.S.A. Tel: (1) 847-843-7900/Fax: (1) 847-843-7787

OMRON ASIA PACIFIC PTE. LTD. No. 438A Alexandra Road # 05-05/08 (Lobby 2).

No. 438A Alexandra Hoad # 05-05/08 (Lobby 2), Alexandra Technopark, Singapore 119967

Tel: (65) 6835-3011/Fax: (65) 6835-2711

OMRON (CHINA) CO., LTD.

Room 2211, Bank of China Tower,
200 Yin Cheng Zhong Road,

PuDong New Area, Shanghai, 200120, China Tel: (86) 21-5037-2222/Fax: (86) 21-5037-2200

D(t) Jun, 2019